

**LAW OFFICES**  
**FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.**  
1300 I Street, NW  
Washington, DC 20005

Telephone  
(202) 408-4000

Facsimile  
(202) 408-4400

**FACSIMILE TRANSMITTAL**

**TO**

**Name:**

**Firm:** U.S. Patent and Trademark Office  
Certificate of Corrections Branch

**Fax No.:** 703-308-6672

**Phone No.:** 703-305-8309

**Date:** October 30, 2001

**Subject:** Request for Certificate of Correction Re: U.S. Patent No. 6,002,952

**FROM**

**Name:** Barry W. Graham, Esq.

**Phone No.:** (202) 408-4017

**Fax # Verified by:**

**# Pages (incl. this):**

**Our File No.:** 08341.0002


**Confirmation Copy to Follow: No**

The purpose of this letter is to request a copy of a pending Request for Certificate of Correction and, if issued, the Certificate of Correction itself for U.S. Patent No. 6,002,952 entitled "SIGNAL PROCESSING APPARATUS AND METHOD" which issued on December 14, 1999. I understand that a Request for Certificate of Correction was filed on July 26, 2001.

Please charge our deposit account number 06-0916 the \$25.00 fee required for this service.

If there are any questions or comments concerning this request, please contact me. Additionally, please send the requested papers to me.

Sincerely,  
Barry W. Graham



Reg. No. 29,924

If there is a problem with this transmission, notify fax room at (202) 408-4174 or the sender at the number above.

This facsimile is intended only for the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable law. If you have received this facsimile in error, please notify the sender immediately by telephone (collect), and return the original message by first-class mail to the above address.

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,002,952

DATED : December 14, 1999

INVENTOR(S): Mohamed K. Diab and Rex McCarthy

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 6 at line 10, change " $r_a = \frac{s_1}{s_2}$   $r_v = \frac{n_1}{n_2}$ " to -- $r_a = \frac{s_1}{s_2}$  and  $r_v = \frac{n_1}{n_2}$  .....(4) --.

In column 10 at line 44, change " $I_{ID} = I_{0,IR} e^{-[\varepsilon_{IR,Hb} C_{Hb} + \varepsilon_{IR,HbO2} C_{HbO2}]d(t)}$ "  
to -- $I_{IR} = I_{0,IR} e^{-[\varepsilon_{IR,Hb} C_{Hb} + \varepsilon_{IR,HbO2} C_{HbO2}]d(t)}$  --

In column 11 at line 58, change " $\ln(I_{IR}) = \ln(I_{0,IR}) - [\varepsilon_{IR,Hb} C_{Hb} + \varepsilon_{IR,HbO2} C_{HbO2}]d(t)$ "  
to -- $\ln(I_{IR}) = \ln(I_{0,IR}) - [\varepsilon_{IR,Hb} C_{Hb} + \varepsilon_{IR,HbO2} C_{HbO2}]d(t)$  --

In column 17 at line 53, change "shows to blood" to --shows blood--.

In column 19 at line 62, change "1938" to --1838--.

MAILING ADDRESS OF SENDER:

Lee W. Henderson  
KNOBBE, MARTENS, OLSON & BEAR, LLP  
620 Newport Center Drive, Sixteenth Floor  
Newport Beach, California 92660-8016

PATENT NO. 6,002,952

No. of add'l. copies  
@ 50¢ per page

→ 0

MASIMO.056A  
FORM PTO 1050

H:\DOCS\LWHLWH-5886.DOC://rc1  
062801